

$\Phi \cdot \Phi^2 \tilde{N}$, $\Phi^{3/4} \Phi \cdot \Phi^\circ \Phi$, $\tilde{N} \mp \Phi^\circ \tilde{N} \cdot \tilde{N} \Phi$
 $\Phi \cdot \Phi \gg \tilde{N} \cdot \Phi \Phi^{1/2} \Phi^{3/4} \Phi^{1/4} \Phi^\circ \tilde{N} \in \Phi^{3/4} \Phi^\circ \Phi^3$.
 $\Phi \tilde{s} \Phi$, $\Phi^{1/2} \Phi^3 \Phi$, $\tilde{N} \cdot \Phi \mu \Phi \zeta \Phi \zeta$

ĐĐĐĐĐ Đ•Đ^{1/2}Ñ,Đ°Đ»

**Đ'Ñ•Ñ,Đ°Đ²Đ°Đ°-Đ±Đ,Ñ,Đ° 10 Đ^{1/4}Đ^{1/4} DR TORXÂ®,
 T50, 30 Đ^{1/4}Đ^{1/4}**

Ñ€ÑfĐ± 120.00



[Đ°Đ^{1/2}Ñ,Đ^{3/4}Ñ€Đ^{1/4}Đ°Ñ†Đ,Ñ•Đ^{3/4}Đ_zÑ€Đ^{3/4}Đ°Đ²Ñ†Đμ](#)

ĐœĐ^{1/2}ĐμĐ^{1/2}Đ,Ñ•Đ_zĐ^{3/4}Đ°ÑfĐ_zĐ°Ñ,ĐμĐ»ĐμĐ¹: Đ•Ñ%Đμ Đ^{1/2}ĐμÑ, Đ^{1/4}Đ^{1/2}ĐμĐ^{1/2}Đ,Đ¹ Đ^{3/4}Đ± Ñ•Ñ,Đ^{3/4}Đ^{1/4}Ñ,Đ^{3/4}Đ²Đ°Ñ€Đμ.
 ĐŸĐ^{3/4}Đ¶Đ°Đ»ÑfĐ¹Ñ•Ñ,Đ°, Đ²Đ^{3/4}Đ¹Đ¹Đ,Ñ,Đμ, Ñ†Ñ,Đ^{3/4}Đ±Ñ< Đ^{3/4}Ñ•Ñ,Đ°Đ²Đ,Ñ,ÑœÑ•Đ²Đ^{3/4}Đμ Đ^{1/4}Đ^{1/2}ĐμĐ^{1/2}Đ,Đμ.